

	<p align="center">EU Declaration of conformity Matrice 30/30T Flysafe C5</p>	<p>Version : 01</p> <p>Application Date : 02/29/2024</p>
---	--	---

Product:

Matrice 30 Flysafe C5,
Matrice 30T Flysafe C5,

Manufacturer :

FLYING EYE SAS
400 Avenue Roumanille, Green Side 1B
06410 BIOT - France

This declaration of conformity is issued under the sole responsibility of the manufacturer
Flying Eye

Objet :

Class	Manufacturer	Type	Commercial Name	sound power level
C5	Flying Eye	Multi-rotor	Matrice 30 Flysafe C5	90 dB
C5	Flying Eye	Multi-rotor	Matrice 30T Flysafe C5	90 dB

The object of the declaration described above is of class C5

The object of the declaration described above is in conformity with the relevant Union harmonisation legislation : Annex of the delegated regulation, Part 16 (UE) 2019/945.

The references of the harmonised standards used:

1 Flying Eye SAS, 400 Avenue Roumanille, Green Side 1B - 06410 BIOT, France
Tel: +33 (0) 9 72 62 78 50 | www.flyingeye.fr | Capital: 30 000€ | VAT: FR04850492570
850 492 570 00039 RCS Antibes



	<p align="center">EU Declaration of conformity Matrice 30/30T Flysafe C5</p>	<p>Version : 01</p> <p>Application Date : 02/29/2024</p>
---	--	---

UAS	prEN 4709-006:2023, prEN 4709-007:2023
Radio Spectrum	EN 300 328 V2.2.2, EN 300 440 V2.2.1, EN 303 413 V1.2.1
Safety	EN 62368-1:2014+A11:2017
Health	EN IEC 62311:2020, EN 62479:2010
EMC	EN 55032:2015+A11:2020, EN 55035:2017+A11:2020, EN 301 489-1 V2.2.3, EN 301 489-3 V2.1.1, EN 301 489-17 V3.2.4, EN 301 489-19 V2.1.1, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019
RoHS	2011/65/EU (EU)2015/863
WEEE	2012/19/EU
REACH	2006/1907/EC

Accessories

Accessory	Description	Version
DJI Matrice 30 C2 / DJI Matrice 30T C2	UAS of class C2	V09.00.05.03
Flight termination and parachute system Flysafe	System allowing the flight termination and the parachute opening	Software : V1.11 Hardware : V1.02
DJI RC Plus	Remote controller allowing the UAS control	V02.02.08.03
DJI Pilot 2 Application	DJI RC Pro embedded application	V9.0.5.31
Flysafe Remote Controller	Remote controller allowing to trigger the flight termination system and the parachute opening	Software : V3.01 Hardware : V3.03

	EU Declaration of conformity Matrice 30/30T Flysafe C5	Version : 01 Application Date : 02/29/2024
---	---	---

C2 certification Matrice 30/30T : NavCert D26032023-2181

Guaranteed sound power level : 90 dB

Declaration scope : Delegated Regulation (UE) 2019/945, Annex, PART 16

Done in BIOT le 02/29/2024

Alexandre THOMAS, President

FLYING EYE

400, Avenue Roumanille

Bât 1B - Green Side

06410 BIOT

RCS 850 492 570

