



NO.1125030497

检测报告

Test Report

样品名称：二次锂离子电池组 TB100-20254-48.23 48.23V 20254mAh 977Wh

Name of Sample: Lithium Ion Rechargeable Battery TB100-20254-48.23 48.23V 20254mAh 977Wh

委托单位：厦门新能安科技有限公司

Consignor: Xiamen Ampace Technology Limited

上海化工院检测有限公司

Shanghai Institute of Chemical Industry Testing Co., Ltd.



声 明

Statement

1. 检测报告无本实验室公章（或检验检测专用章）无效。

The test report is invalid if it is not affixed the official seal of the laboratory to it.

2. 复制检测报告未重新加盖本实验室公章（或检验检测专用章）无效。

Copies of the test report without the official seal of the laboratory are invalid.

3. 检测报告无编制、审核、批准人签字无效。

The test report is invalid without the signatures of compiler, checker and approver.

4. 检测报告涂改无效。

The test report is invalid if it is blotted out.

5. 未经本实验室书面批准，不得部分复制检测报告。

It is forbidden to copy the test report partially without the written approval of the laboratory.

6. 送样委托检测结果，仅对所送样品有效。

The conclusion of the consignment test is only valid for the provided sample.

7. 本检测报告以中文为准，英文文本（如有）仅为译文，两者发生冲突时，应以中文文本为准。

The test report has been drafted in Chinese and translated into English (if exist) for convenience only. In the event of discrepancy, the Chinese version shall prevail.

8. 除另有说明，检测检验类别都是指委托分析。

Unless noted otherwise, the test type is consignment test.

地址：上海市云岭东路 345 号

Address: No.345 East Yunling Road, Shanghai

邮政编码(Post Code): 200062

电话(Tel): (021) 31765555

传真(Fax): (021) 31015117

网址 (web site): www.ghs.cn

电子信箱 (E-mail): center@ghs.cn

上海化工院检测有限公司
检测报告
Shanghai Institute of Chemical Industry
Testing Co., Ltd. Test Report

NO. 1125030497

1/11

样品名称 Name of Sample	中文 Chinese	二次锂离子电池组 TB100-20254-48.23 48.23V 20254mAh 977Wh	
	英文 English	Lithium Ion Rechargeable Battery TB100-20254-48.23 48.23V 20254mAh 977Wh	
样品编号 Sample No.	1125030497		
委托单位 Consignor	厦门新能安科技有限公司 Xiamen Ampace Technology Limited		
生产单位 Manufacturer	厦门新能安科技有限公司 Xiamen Ampace Technology Limited		
检测方法 Test method	联合国《试验和标准手册》ST/SG/AC.10/11/Rev.8 38.3 UN Manual of Tests and Criteria ST/SG/AC.10/11/Rev.8 Section 38.3		
判定标准 Criterion	联合国《试验和标准手册》ST/SG/AC.10/11/Rev.8 38.3 UN Manual of Tests and Criteria ST/SG/AC.10/11/Rev.8 Section 38.3		
样品外观 Appearance	黑色 塑胶外壳 Black Plastics cement		
样品接受日期 Accepted Date	2025-03-17	检测起迄日期 Test Date	2025-03-20 ~ 2025-04-03
检测项目 Test Items	高度模拟;热测试;振动;冲击;外短路;挤压;过充电;强制放电 Altitude simulation, Thermal test, Vibration, Shock, External short circuit, Crush, Overcharge, Forced discharge		
检测结论 Conclusion	经检测,该样品符合联合国《试验和标准手册》ST/SG/AC.10/11/Rev.8 38.3标准要求。 The sample has passed the test items of UN Manual of Tests and Criteria ST/SG/AC.10/11/Rev.8 Section 38.3. 生效日期(Date): 2025-04-07		
备注 Comment	可充电锂电池组Rechargeable Lithium Battery.全部项目测试地点为江苏省昆山市康浦路3号。 All tests were tested in No.3, Kangpu Road, Kunshan, Suzhou, Jiangsu, China.		
委托单位地址 Consignor Address	/		邮政编码 Post Code 361106

批准
Approver:
职务
Title:

许莹

审核
Checker:

朱丽娜

编制
Compiler:

宋强

新能源安全部部长(Head of New Energy Safety Department)



上海化工院检测有限公司

检测报告

Shanghai Institute of Chemical Industry
Testing Co., Ltd. Test Report

NO. 1125030497

2/11

序号 No.	检测项目名称 Name of Test Items	标准要求或标准条款号 Standard requirement or The Clause Number of Standard	检测结果 Test Result	本项结论 Conclusion	备注 Remark
1	高度模拟 Altitude simulation	联合国《试验和标准手册》ST/SG/AC. 10/11/Rev. 8 38.3 试验T.1 UN Manual of Tests and Criteria ST/SG/AC. 10/11/Rev. 8 Section 38.3 Test T.1	见附表 1 See Appendix 1	合格 Passed	/
2	热测试 Thermal test	联合国《试验和标准手册》ST/SG/AC. 10/11/Rev. 8 38.3 试验T.2 UN Manual of Tests and Criteria ST/SG/AC. 10/11/Rev. 8 Section 38.3 Test T.2	见附表 2 See Appendix 2	合格 Passed	/
3	振动 Vibration	联合国《试验和标准手册》ST/SG/AC. 10/11/Rev. 8 38.3 试验T.3 UN Manual of Tests and Criteria ST/SG/AC. 10/11/Rev. 8 Section 38.3 Test T.3	见附表 3 See Appendix 3	合格 Passed	/
4	冲击 Shock	联合国《试验和标准手册》ST/SG/AC. 10/11/Rev. 8 38.3 试验T.4 UN Manual of Tests and Criteria ST/SG/AC. 10/11/Rev. 8 Section 38.3 Test T.4	见附表 4 See Appendix 4	合格 Passed	/
5	外短路 External short circuit	联合国《试验和标准手册》ST/SG/AC. 10/11/Rev. 8 38.3 试验T.5 UN Manual of Tests and Criteria ST/SG/AC. 10/11/Rev. 8 Section 38.3 Test T.5	见附表 5 See Appendix 5	合格 Passed	/
6	挤压 Crush	联合国《试验和标准手册》ST/SG/AC. 10/11/Rev. 8 38.3 试验T.6 UN Manual of Tests and Criteria ST/SG/AC. 10/11/Rev. 8 Section 38.3 Test T.6	见附表 6 See Appendix 6	合格 Passed	/
7	过充电 Overcharge	联合国《试验和标准手册》ST/SG/AC. 10/11/Rev. 8 38.3 试验T.7 UN Manual of Tests and Criteria ST/SG/AC. 10/11/Rev. 8 Section 38.3 Test T.7	见附表 7 See Appendix 7	合格 Passed	/
8	强制放电 Forced discharge	联合国《试验和标准手册》ST/SG/AC. 10/11/Rev. 8 38.3 试验T.8 UN Manual of Tests and Criteria ST/SG/AC. 10/11/Rev. 8 Section 38.3 Test T.8	见附表 8 See Appendix 8	合格 Passed	/
检测环境条件 Test Environment Condition		环境温度:20℃-23℃;环境湿度:/% Ambient temperature:20℃-23℃;Ambient humidity:/%			
分包检验情况 Subcontracted Test Condition		检测项目 Test Item	/		
		分包实验室 Subcontracted Laboratory	名称 Name	/	邮编 Post Code
			地址 Address	/	电话 Tel

3/11

卷一

4/11

备注: L-泄漏 V-漏气 D-解体 R-破裂 F-起火 O-无泄漏、无漏气、无解体、无破裂、无起火。
Note: L-Leakage V-Venting D-Disassembly R-Rupture F-Fire O-No Leakage, No Venting,
No Disassembly, No Rupture & No Fire.

5/11

备注: L-泄漏 V-漏气 D-解体 R-破裂 F-起火 O-无泄漏、无漏气、无解体、无破裂、无起火。
Note: L-Leakage V-Venting D-Disassembly R-Rupture F-Fire O-No Leakage, No Venting,
No Disassembly, No Rupture & No Fire.

备注: L-泄漏 V-漏气 D-解体 R-破裂 F-起火 O-无泄漏、无漏气、无解体、无破裂、无起火。
Note: L-Leakage V-Venting D-Disassembly R-Rupture F-Fire O-No Leakage, No Venting,
No Disassembly, No Rupture & No Fire.

检测报告—附表5
Shanghai Institute of Chemical Industry
Testing Co., Ltd. Test Report—Appendix 5

7/11

序号 No.	5	检测项目名称 Name of Test Items	外短路 External short circuit
样品编号 Sample No.	样品状态 Sample Status	样品表面最高温度 Max. External Temperature /°C	其他现象 Other Event
001	1CYC完全充电 1CYC Fully charged	55.6	O
002	1CYC完全充电 1CYC Fully charged	55.3	O
003	1CYC完全充电 1CYC Fully charged	55.5	O
004	1CYC完全充电 1CYC Fully charged	55.3	O
005	25CYC完全充电 25CYC Fully charged	55.6	O
006	25CYC完全充电 25CYC Fully charged	55.6	O
007	25CYC完全充电 25CYC Fully charged	55.4	O
008	25CYC完全充电 25CYC Fully charged	55.5	O
以下空白	This space intentionally left blank		

备注：D-解体 R-破裂 F-起火 O-无解体、无起火、无破裂。
Note: D-Disassembly R-Ruptur F-Fire O-No Disassembly,No Fire & No Rupture.

Shanghai Institute of Chemical Industry
Testing Co., Ltd. Test Report—Appendix 6

8/11

[illegible]

检 测 报 告—附表7
Shanghai Institute of Chemical Industry
Testing Co., Ltd. Test Report—Appendix 7

9/11

序号 No.		检测项目名称 Name of Test Items	过充电 <u>Overcharge</u>
样品编号 Sample No.	样品状态 Sample Status	其他现象 Other Event	
019	1CYC完全充电 1CYC Fully charged	O	
020	1CYC完全充电 1CYC Fully charged	O	
021	1CYC完全充电 1CYC Fully charged	O	
022	1CYC完全充电 1CYC Fully charged	O	
023	25CYC完全充电 25CYC Fully charged	O	
024	25CYC完全充电 25CYC Fully charged	O	
025	25CYC完全充电 25CYC Fully charged	O	
026	25CYC完全充电 25CYC Fully charged	O	
以下空白	This space intentionally left blank		

备注：D-解体 F-起火 O-无解体、无起火。
Note: D-Disassembly F-Fire O-No Disassembly & No Fire.

上海化工院检测有限公司
 检测报告—附表8
 Shanghai Institute of Chemical Industry
 Testing Co., Ltd. Test Report—Appendix 8

NO. 1125030497


10/11

序号 No.	8	检测项目名称 Name of Test Items	强制放电 Forced discharge
样品编号 Sample No.	样品状态 Sample Status	其他现象 Other Event	
027	1CYC完全放电 1CYC Fully discharged	O	
028	1CYC完全放电 1CYC Fully discharged	O	
029	1CYC完全放电 1CYC Fully discharged	O	
030	1CYC完全放电 1CYC Fully discharged	O	
031	1CYC完全放电 1CYC Fully discharged	O	
032	1CYC完全放电 1CYC Fully discharged	O	
033	1CYC完全放电 1CYC Fully discharged	O	
034	1CYC完全放电 1CYC Fully discharged	O	
035	1CYC完全放电 1CYC Fully discharged	O	
036	1CYC完全放电 1CYC Fully discharged	O	
037	25CYC完全放电 25CYC Fully discharged	O	
038	25CYC完全放电 25CYC Fully discharged	O	
039	25CYC完全放电 25CYC Fully discharged	O	
040	25CYC完全放电 25CYC Fully discharged	O	
041	25CYC完全放电 25CYC Fully discharged	O	
042	25CYC完全放电 25CYC Fully discharged	O	
043	25CYC完全放电 25CYC Fully discharged	O	
044	25CYC完全放电 25CYC Fully discharged	O	
045	25CYC完全放电 25CYC Fully discharged	O	
046	25CYC完全放电 25CYC Fully discharged	O	
备注：D-解体 F-起火 O-无解体、无起火。 Note: D-Disassembly F-Fire O-No Disassembly & No Fire.			

上海化工院检测有限公司
检测报告一附图
Shanghai Institute of Chemical Industry
Testing Co., Ltd. Test Report—Appendix

NO. 1125030497

11/11



有限公司

DJI Lithium Ion Rechargeable Battery/二次锂离子电池组/二次锂离子电池组

Max Charge Voltage/充电限制电压/充电限制电压: 54.6 V
Nominal Voltage/标称电压/标称电压: 48.23 V
Rated Capacity/额定容量/额定容量: 20254 mAh
额定能量: 977 Wh 执行标准: GB 42590-2023

Model No/型号/型号: TB100-20254-48.23

Manufacturer/Xiamen Ampac Technology Limited/
Authorized by SZ DJI TECHNOLOGY CO., LTD./Lobby of T2, DJI Sky
City, No. 53 Xianyuan Road, Xili Community, Xili Street, Nanshan
District, Shenzhen, China/EU Contact Address: DJI GmbH,
Industriestrasse 12, 97618 Niederlauer, Germany, 13INP77/70/135-2

本产品由深圳市大疆创新科技有限公司授权生产。深圳市南山区西丽街道西丽社区仙元路53号大疆天空之城T2大堂。
制造商/製造商: 廈門新能安科技有限公司/廈門新能安科技有限公司 生产厂: 廈門新能安科技有限公司

Made in China/中国制造/中國製造

商標商標商標 DJI JAPAN 株式会社 Li-ion20

8DAPN3S
EAE00EP



报告结束