



仅限货机
CAO

NO.212500945404110



运输危险性鉴定书

Hazard Classification and
Identification Report for Transport of Goods

危险品

样品名称 : 二次锂离子电池组 TB100 智能飞行电池 TB100-20254-48.23 48.23V 20254mAh 977Wh

Sample name: Rechargeable Li-ion Battery TB100 intelligent flight battery
TB100-20254-48.23 48.23V 20254mAh 977Wh

委托单位 : 深圳市大疆创新科技有限公司
SZ DJI Technology Co., Ltd

生产单位 : 厦门新能安科技有限公司
Xiamen Ampace Technology Limited



上海化工院检测有限公司
SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO., LTD.



运输危险性鉴定书

NO. 212500945404110

Hazard Classification and Identification Report
for Transport of Goods

Page 1/3

样品名称 Sample Name	中文 Chinese	二次锂离子电池组 TB100 智能飞行电池 TB100-20254-48.23 48.23V 20254mAh 977Wh				
	英文 English	Rechargeable Li-ion Battery TB100 intelligent flight battery TB100-20254-48.23 48.23V 20254mAh 977Wh				
委托单位 Applicant		深圳市大疆创新科技有限公司 SZ DJI Technology Co., Ltd				
生产单位 Manufacturer		厦门新能安科技有限公司 Xiamen Ampace Technology Limited				
检验方法、程序 Inspection method and procedure		国际航空运输协会《危险品规则》66版 IATA Dangerous Goods Regulations (DGR) 66th Edition				
样品外观 Sample appearance		黑色塑胶外壳 Black Plastics cement shell				
包装件信息 Package information		/				
序号 NO.	电池种类 Battery type	型号 Model	容量Capacity / 锂含量Li content	放置方式 Placement	单颗重量kg Unit weight	数量 Quantity
1	可充电锂离子电池组 Rechargeable Li-ion battery	TB100-20254-48.23	20254mAh 977Wh	电池单独运输 Battery only	4.72	3
鉴定结论 IDENTIFICATION CONCLUSION	1. 危险性识别 (Hazards identification) 杂项。 Miscellaneous.					
	2. 空运按照国际航空运输协会《危险品规则》办理的类项 (Suggestion according to IATA DGR) Proper Shipping Name: Lithium ion batteries Class or Division: 9 UN Number: UN3480					
	3. 包装要求 (Packaging requirements) 按包装说明965第IA部分要求办理。 The article is packaged according to the Packaging Instruction 965 section IA. 仅限货机 Cargo Aircraft Only					
	检验日期: 2025-05-08 签发日期: 2025-05-08 生效日期: (14) 2025-05-08 Inspection Date: Issue Date: Effective Date:					
备注 Comment		/				


批准
Approver: 王宗审核
Checker: 钱玉娟主检
Appraiser: 孙清

运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 212500945404110


Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things
1	<p>本鉴定书所述锂电池按照《危险品规则》(66版) 3.9.2.6.1(e)规定的质量管理体系进行制造。 本鉴定书所述锂电池不属于损坏或有缺陷的电池。 本鉴定书所述锂电池不进行以回收或处置为目的的航空运输, 不属于废弃锂电池。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IATA DGR 66th 3.9.2.6.1(e). Lithium cells and batteries listed in this report are not damaged or defective cells or batteries. Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipped for recycling or disposal.</p>
2	<p>本鉴定书所述锂电池已通过联合国《试验和标准手册》第III部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. UN38.3试验概要编号 The UN38.3 Test Summary No. (s) 812500800628586 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.</p> 
3	<p>锂电池必须完全封装在内包装内, 位于外包装中。完成包装件必须满足II级包装性能标准。 Lithium cells and batteries must be packed in inner packagings that completely enclose the cell or battery and placed in an outer packaging. The completed package must meet the Packing Group II performance standards.</p>
4	<p>电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.</p>
5	<p>每个包装件必须使用9类锂电池或钠离子电池危险性标签(DGR图7.3.X)。 每个包装件必须贴有“仅限货机”标签(DGR图7.4.B)。 Each package must be labelled with the Class 9-Lithium Battery or Sodium Ion Battery hazard label (Figure 7.3.X in IATA DGR). Each package must be labelled with the "Cargo Aircraft Only" label (Figure 7.4.B in IATA DGR).</p>
6	<p>根据委托单位声明, 本鉴定书所述锂离子电池交付运输时, 其荷电状态不超过额定容量的30%。 According to the statement of the applicant, lithium ion cells and batteries listed in this report are offered for transport at a state of charge (SoC) not exceeding 30% of their rated capacity.</p>
7	<p>锂电池不得与第1类爆炸品(1.4S项除外), 2.1项易燃气体, 第3类易燃液体, 4.1项易燃固体或5.1项氧化性物质等危险品包装在同一外包装或集合包装内。 Lithium cells and batteries must not be packed in the same outer packaging or overpack with dangerous goods classified in Class 1 (explosives) other than Division 1.4S, Division 2.1 (flammable gases), Class 3 (flammable liquids), Division 4.1 (flammable solids) or Division 5.1 (oxidizers).</p>
-验证码:380619-	

运输危险性鉴定书
Hazard Classification and Identification Report
for Transport of Goods

NO. 212500945404110

Page 3/3



DJI Lithium Ion Rechargeable Battery/二次锂离子电池组/二次锂离子电池组

Max Charge Voltage/充电限制电压/充电限制电压: 54.6 V

Model No./型号/型号: TB100-20254-48.23

Nominal Voltage/标称电压/标称电压: 48.23 V

Rated Capacity/额定容量/额定容量: 20254 mAh

额定容量: 977 Wh 执行标准: GB 42590-2023

Manufacturer/Xiamen Ampac Technology Limited/
Authorized by SZ DJI TECHNOLOGY CO., LTD./Lobby of T2, DJI Sky
City, No. 53 Xianyu Road, Xili Community, Xili Street, Nanshan
District, Shenzhen, China/EU Contact Address: DJI GmbH,
Industrieschasse 12, 91618 Niederlauer, Germany, 131NP770/135 2

生产厂家: 深圳市大疆创新科技有限公司授权生产。深圳市南山区西丽街道西丽社区仙元路53号大疆天空之城T2大堂。

制造商/经销商: 厦门新能安科技有限公司/厦门新能安科技有限公司

Made in China/中国制造/中国制造



Li-ion20

80APN3S

EAE00EP

生产厂: 厦门新能安科技有限公司

检验检测专用章

(14)

报告结束